



K I N G


DT2026018-V3

kingliving.com


King Cloud

King Cloud


Chair Modules




Modules 700R | 800R | 900R
Side View



Modules 700F | 800F | 900F (Chair & Chaise)
Side View



R: Redliner F: Fixed




Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.


King Cloud

Arms | SMART Pocket Accessories


Arms Compact LH | RH
Front | Side View
Leather Detail



Arm Wide LH | RH
Front | Side View
Leather Detail



Arm Compact SMART LH | RH
For SMART Accessories: Lights | Tables
Front | Side View
Leather Detail | SMART Locations



Arm Wide SMART LH | RH
For SMART Accessories: Lights | Tables
Front | Side View
Leather Detail | SMART Locations






Table 350 Round




Charge Table 350 Round



King Sofa Light LED



SONOS Bracket
Compatible with:
SONOS Play 1; SONOS One; SONOS One SL




Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cloud

Curve Corner Modules


Curved Corner Wide

Side View | Top View
Leather (seam) : Fabric (no seam)




Compatible with Recliners on either side.

Cannot be attached to Arm or Media Console.




Curved Corner

Side View | Top View




Must have fixed chair on at least one side to avoid footrest collision.

Cannot be attached to Arm or Media Console.




45 Degree Corner

Side View | Top View



Compatible with Recliners on either side.

Cannot be attached to Arm or Media Console.




Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.


King Cloud

Media Consoles

Media Console Compact




Media Console Wide




Media Console Storage XW SMART (Extra Wide)

SMART Pocket (rear) for SMART Accessories:
Brackets | Lights | Tables | Wireless Device Charging
Storage: **W** 220mm (8.75") x **L** 832mm (32.75") x **H** 440mm (17.25")




Media Console Compact SMART

SMART Pockets (rear)
For SMART Accessories: Lights | Tables




Media Console Wide SMART

SMART Pockets (rear)
For SMART Accessories: Lights | Tables



Media Console Storage XW SMART Charge (Extra Wide)

SMART Pocket (rear) for SMART Accessories:
Brackets | Lights | Tables | Wireless Device Charging
Storage: **W** 220mm (8.75") x **L** 832mm (32.75") x **H** 440mm (17.25")




Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.


King Cloud

Media Wedge Consoles


Media Console Wedge S Compact SMART
 SMART Pocket (rear) for SMART Accessories:
 Brackets | Lights | Tables | Wireless Device Charging
 Storage:
W 220mm/50mm (8.75"/2") x **L** 832mm (32.75") x **H** 440mm (17.25")



Media Console Wedge S Wide SMART
 SMART Pocket (rear) for SMART Accessories:
 Brackets | Lights | Tables | Wireless Device Charging
 Storage:
W 300mm/130mm (11.75"/5") x **L** 832mm (32.75") x **H** 440mm (17.25")



Media Console Wedge S Wide SMART Charge
 SMART Pocket (rear) for SMART Accessories:
 Brackets | Lights | Tables | Wireless Device Charging
 Storage:
W 300mm/130mm (11.75"/5") x **L** 832mm (32.75") x **H** 440mm (17.25")




Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cloud


Operation | User Guide

Premiere

Gesture Control and Memory Settings




Gesture Control
Swipe forward for Automatic Open.
Swipe backward to Close



IR Safety
Obstacle Detect.

Setting Memory Positions:
Manually adjust your recliner to the desired position before setting the memory position



Memory Position 1:
Press and hold Button 1 and 3 for 8 seconds


① + ③ ⌚ 8 sec.
••  Swipe forward once to activate

Memory Position 2:
Press and hold Button 2 and 4 for 8 seconds

② + ④ ⌚ 8 sec.
••   Swipe forward twice to activate

Classic

Standard Operation



Push to operate

Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cloud


Packages

Dimensions | Configurations: Modules


RW (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms)

SMART (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)


King Cloud Classic/Premiere
Recliner Armchair with Compact Arms
1085mm W | Armchair 700RC




King Cloud Classic/Premiere Recliner
Armchair with Compact SMART Pockets
1085mm W | Armchair 700RC SMART




King Cloud Classic/Premiere 2-Seater Recliner
with Wide Seats and Wide SMART Pockets
2140 W | 2-STR 800RW SMART




King Cloud Classic/Premiere 2.5-Seater
Recliner with Wide Seats and Wide SMART
Pockets 2340mm W | 2.5-STR 900RW SMART



King Cloud Classic/Premiere 3-Seater
Recliner with Wide SMART Pockets
2940mm W | 3-STR 800RW SMART



King Cloud Classic/Premiere
3-Seater RFC 800R



Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cloud


Packages

Dimensions | Configurations: Modules


RW (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms)

SMART (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)


King Cloud Classic/Premiere 4-Seater Recliner with Corner Module and SMART Pockets | 4 STR 800R




King Cloud Classic/Premiere 4-Seater Recliner with Corner Module and SMART Pockets | 4 STR 700R



King Cloud Classic/Premiere 4-Seater Recliner with Compact Curve Corner and SMART Arms 800R



King Cloud Classic/Premiere 4-Seater Recliner with 45 Degree Curve Corner and SMART Arms 800R



Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cloud


Packages

Dimensions | Configurations: Modules


RW (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms)

SMART (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)


**King Cloud Premiere Recliner
Armchair with Wide Seat and
Compact Arms 1180mm W
| Armchair 800RC**




**King Cloud Premiere Recliner
Armchair with Wide Seat and
Compact SMART Pockets
1180mm W | Armchair 800RC SMART**




**King Cloud Premiere Recliner
Armchair with Extra Wide Seat
and Wide Arms 1440mm W
| Armchair 900RW**




**King Cloud Premiere Recliner
Armchair with Extra Wide Seat
and Wide SMART Pockets
1440mm W | Armchair 900RW SMART**




**King Cloud Premiere 2-Seater Recliner
with Compact Arms 1790mm W
| 2-STR 700RC**




**King Cloud Premiere 2-Seater Recliner
with Compact SMART Pockets 1790mm W
| 2-STR 700RC SMART**



**King Cloud Premiere 2-Seater Recliner
with Wide Arms 1950mm W
| 2-STR 700RW**



**King Cloud Premiere 2-Seater Recliner
with Wide SMART Pockets 1950mm W
| 2-STR 700RW SMART**



Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cloud


Packages

Dimensions | Configurations: Modules


RW (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms)

SMART (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)


King Cloud Premiere 2-Seater Recliner with Wide Seats and Compact Arms
1980 W | 2-STR 800RW




King Cloud Premiere 2-Seater Recliner with Wide Seats and Compact SMART Pockets
1980 W | 2-STR 800RW SMART




King Cloud Premiere 2-Seater Recliner with Wide Seats and Wide Arms
2140 W | 2-STR 800RW




King Cloud Premiere 2.5-Seater Recliner with Wide Seats and Wide Arms
2340mm W | 2.5-STR 900RW




King Cloud Premiere 3-Seater Recliner with Compact Arms
2495mm W | 3-STR 700RC




King Cloud Premiere 3-Seater Recliner with Compact SMART Pockets
2495mm W | 3-STR 700RC SMART



King Cloud Premiere 3-Seater Recliner with Wide Arms
2655mm W | 3-STR 700RW



King Cloud Premiere 3-Seater Recliner with Wide SMART Pockets
2655mm W | 3-STR 700RW SMART



Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cloud


Packages

Dimensions | Configurations: Modules


RW (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms)

SMART (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)


King Cloud Premiere 3-Seater Recliner with Wide Arms 2940mm W | 3-STR 800RW




King Cloud Premiere 3-Seater Recliner with Extra Wide Seats and Wide Arms 3240mm W | 3-STR 900RW




King Cloud Premiere 3-Seater Recliner with Extra Wide Seats and Wide SMART Pockets 3240mm W | 3-STR 900RW SMART



King Cloud Classic 2.5-Seater Recliner with Extra Wide Seats, Media Console and SMART Pockets 2670mm W | 2.5-STR 900R Media SMART



King Cloud Classic 3-Seater Recliner with Wide Seats, 2 Media Consoles and SMART Pockets 3600mm W | 3-STR 800R Media SMART



Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cloud


Packages

Dimensions | Configurations: Modules


RW (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms)

SMART (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)

King Cloud 4-Seater with Corner
| 4 STR 700F



King Cloud 4-Seater with Corner
| 4 STR 800F



Information Published September 2026. King Cloud Premiere uses TouchGlide Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.